

## Direct combustion of fine coal from coal waste

Dr. Fei Yi

May 6, 2021

## **Project Overview**

SBIR Phase I (April, 2018 – January, 2019), \$150,000 Phase II (May, 2019 – May, 2021), \$1,000,000

#### Team



#### TDA Research

Dr. Fei Yi (PI)

Dr. Jeannine Elliott

Jeff Lind

**Brad Spatafore** 

**Justin Feis** 

Trudy Scholten



# Washington University in St. Louis

Dr. Richard Axelbaum

Dr. Zhiwei Yang




# University of California, Irvine

Dr. Ashok Rao

Dr. Fabian Rosner



#### 4 Billion tons of Fine Coal in the USA



- 6~8% of the energy in mined coal lies in the less than 150 μm particle size fraction.<sup>1</sup>
- There is up to 80 wt% water in slurry after flotation, so it is hard to burn.
- It is very difficult to reduce the water content to 20 wt% or less due to the small particle size. Many technologies have been studied for dewatering: vacuum filtration, hyperbaric filtration, and centrifugal filtration. However, their operating cost is high.
- Every year, U.S. coal producers discard about 70~90 million tons of fresh fine coal. In the U.S., there are already approximately 4 billion tons of fine coal waste in ponds.<sup>2</sup>
- With a disposal cost of \$11 per ton<sup>3</sup>, \$ 44 billion will be needed to dispose of the existing fine coal.




1. Patwardhan, A., et al., Coal Preparation, 2006. 26(1): p. 33-54.


2. https://www.osti.gov/servlets/purl/1422998

3. <a href="https://www.arippa.org">https://www.arippa.org</a>

## TDA's Approach








TDA's approach does not require the dewatering step and the wet fine coal can be directly combusted.



# **Coal Water Slurry Preparation**

- The slurry was made from real fine coal.
- 100-g samples were made to characterize the slurry.
- Solids loading of 62.5%
- Viscosity of about 300 cP at 132 1/s shear rate.
- Pumpable.
- The production was scaled up to 18 kg per batch.






## **Atomization**

• The fine atomization needed for direct combustion was achieved using two-fluid nozzles.






## Bench-scale Burner




The burner can be configured to use either a tangential or vane swirler.



# **Combustion Rig**










- New construction at TDA (up to 25kW thermal)
- 8.25" ID x 96" H combustion chamber

## **Combustion Experiments**

- Demonstrated self-sustained and continuous flame burning slurry
- Air combustion no oxygen enrichment required
- About 17 kW thermal output
- Flue gas cooled by spray-quench tower downstream of the combustor
- Achieved 95% burnout for coal



Ash sample




Wall temperature on 4/2/2021



#### Effect of Atomization on Flame

- Tangential swirler was used (30% swirl).
- High atomization flow generates finer droplets.
- The better atomization case has higher wall temperature for the upper section and higher burnout.



The wall temperature profiles for two atomization conditions



introduction Research results Summary

## Effect of Swirler Type

- Both swirlers can achieve a stable flame and high coal burnout.
- Ash was found deposited on the inner wall of the upper section of the combustor. The tangential swirler case has more deposition. Thus, the vane swirler is more advantageous.
- Subsequent studies focused on vane swirler.




## Effect of Swirler Intensity






V2

 The angle between the vane and axis for V1 is larger, which increases the swirl intensity.






The center temperature profiles for two vane swirler cases




## Flame Shape

- The quick temperature ramping along the xaxis downstream the nozzle reflects strong mixing and intensive reaction.
- Lower center temperature in the region downstream of the nozzle indicates spray jet.
- Most reaction is completed at ¼ of the total height of the combustor.

V1 vane swirler case results (4/8/2021)








### **CFD** simulation


#### Major simulation assumptions:

- Periodic boundary condition
- Shear-stress transport k-ω model for turbulence
- Two-step global reaction mechanism for coal oxidation
- No volume change for individual coal particles before and after evaporation
- Rosin–Rammler distribution for droplets
- Chemical Percolation Devolatilization model for devolatilization
- Kinetic-diffusion controlled char combustion model
- Radiation considered

introduction

#### Mesh drawing









This part of the work was conducted in collaboration with Washington University in St. Louis.

### **CFD** simulation





The simulated results agreed well with the experiments.



# Techno-economic Analysis

- We are analyzing a case of retrofitting an existing 80 MWe power plant.
- The existing circulating fluidized bed is assumed to be replaced by TDA's boiler.
- Existing equipment is used as much as possible.
- The entire plant is simulated in Thermoflex.
- Site characteristics and emission requirements are based on the existing plant.



Summary

## Summary

- 1. Pumpable coal water slurries were made using real fine coal from a coal mine partner.
- 2. Fine sprays were achieved, and the slurry can be directly combusted.
- 3. Production was scaled up to 18 kg per batch.
- 4. An bench-scale combustion rig was constructed at TDA. The burner can use either a tangential or vane swirler.
- 5. The continuous and self-sustained slurry flame was achieved under air firing. The flame had high coal burnout.
- 6. Fine atomization is required for both ignition and high conversion.
- 7. Less deposition on the inner wall was found for vane swirler case than for the tangential swirler case.
- 8. The flame zone had a higher temperature with a stronger intensity swirler design.
- 9. The flame shape was determined from temperature and composition data.



# Summary (cont'd)

- 10. A CFD model for the slurry combustion process was developed. There was good agreement between the simulated and experimental results.
- 11. A TEA is under investigation for retrofit installation at a 80 MWe power plant.



## Acknowledgement

This material is based upon work supported by the Department of Energy Award Number DE-SC0018502.

Disclaimer: "This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof."

